Air Purifier Mini Anti-Virus version

Designed for a small space,purification of bacteria and viruses

CADR 285m³/h | Apply to 30M² | 99.96% Sterilization and virus effect

ISO 10012   ISO 13485   ISO 9001   BSCI   RoHS   ETL LISTED   FC   CB   CE

Designed for small spaces

CADR285m ^{3}/ h
Suitable for small space of 30M^2

Silver ion sterilization layer

Destroy the virus's DNA and RNA (Optional)

99.96% Removal bacteria

Removal rate of coronavirus hcov-229e

99.5% H12 filtration efficiency

H12 high efficiency composite filter

Ultraviolet sterilization

UVC + UVA double effect ultraviolet sterilization

Negative ion purification

Tens of millions negative ions

Easy to operate system

Simple operation, PM2.5 visualization

Noise reduction system

Sleep mode down to 35dB

Full effect sterilization and virus removal

Healthy breathing, from now on

Combined with UVC+UVA, it has excellent bactericidal ability and reduces the risk of infection.

PM2.5	Harmful gas	Pollen allergen	Some bacteria	Partial virus

285$^{m^3/h}$
Particulate CADR

30$^{m^2}$
Applicable space

99.96$^\%$
Coronavirus HCOV-229E

Up to 99.99% sterilization and virus removal effect

Fully sterilized, healthier breathing

UVC+UVA double sterilization, 99.99% eliminate some bacteria and viruses, and safely output good air.

99.96%
Coronavirus HCOV-229E

99.99%
Staphylococcus albus

99.35%
Natural bacteria

360 ° annular filter system

360 ° drum design, air inlet on four sides, circulating filtration

High efficiency electrostatic melt blown filter layer combined with activated carbon can quickly remove haze and purify indoor particulate bacteria, suspended bacteria, dust, pollen, smoke and other harmful air.

Optional H13 filter 0.3 μ M efficiency 99.97% or h14 filtration 0.2 μ M efficiency 99.997%.

$285^{m^3/h}$

Particulate CADR

$99.5^{\%}$

H12 filter filtration efficiency

Strong wind motor system

Enjoy more fresh air every minute

Strong power air system provides enough power to achieve large air circulation in a small space and double the purification speed.

Circular air outlet grille

Upper diversion air duct

High efficiency DC motor

Large centrifugal fan

Lower diversion air duct

Air guide grid

UVC+UVA

The overall is Mini

Guard your little world

The floor area is no more than A4 paper, which is conducive to the placement of small spaces, such as children's room and study. Less space, more freedom.

Advanced noise reduction system

No interference, quiet, safe sleep.

Reduce the noise caused by wind resistance. The precision designed air guide system has high-performance purification and low noise.

20db	**35**db	**45**db	**64**db	**84**db
Leaf fretting	Sleep sound	Library sound	Maximum gear	Car sound

Easy to operate visualization system

LED screen interactive display, simple operation.

Upgrade the LED display to accurately display PM2.5 real time values, filter screen life, etc. to grasp the changes of indoor air quality at any time.

| ON/OFF | Wind speed | anion | Sleep | Timing | Child lock | UV | Filter reminder |

More details, higher quality

LED display visualization

PM2. 5、Timing and filter reminder are clearly visible.

Anti tilt power-off protection

In case of dumping, the circuit will be automatically cut off for protection.

Motor overload power-off protection

Protect the motor from overheating due to abnormal voltage or foreign matter stuck fan.

Child lock protection

The danger caused by curious misoperation of children is avoided.

Regarding the location and printing method of the brand logo

Support brand logo customization, printing methods can be divided into three types: laser marking, silk screen printing, and UV pasting. For specific details, please consult the service mangager.

Can cooperate with the brand to create a logo effect

LOGO
POSITION

Packing method

1、Outer carton x 1

2、Air purifier x 1

3、H12 HEPA filter x 1

4、Instruction Manual x 1

5、App connection description x 1

6、Power cord X 1

Home Smart Air Purifier

Health

1

2

3

4

5

6

Certified quality system

A06 has CE, CB and ROHS certification

The company has been certified by BSCI, ISO13485 and ISO9001 to ensure the good quality of each product.

BSCI Credentials

ISO13485 Credentials

ISO9001 Credentials

EPA Credentials

ETL+CETL Credentials

CB Certification

CE-LVD

CE-EMC

ROHS Certification

Coronavirus Test

UV Tadiation Test

Parameters

|			
Model	XT-KJA06A	Voltage	100-240V/50/60HZ
Product size	306*φ262*536.5mm	Rated Power	40w
Package size	330*330*635mm	Applicable area	30M²
N.W/G.W	4.54KG/5.9KG	Particulate CADR	285m³/h
Product motor	DC motor	Sensor	Dust infrared sensor
Certification	CE-LVD / CE-EMC / ROHS / CB / ETL / CETL	Product color	White / Black
QTY	20GP:306pcs / 40GP：630pcs / 40HQ：840pcs / 45HQ：1148pcs		

Packing list

Air purifier x 1   Filter x 1   Power adapter X 1   Instruction manual x 1   App connection description x 1

# Packing method

Air purifier x 1   Packaging foam x 2   Outer carton x 1