
NOT ALL AIR PURIFIERS ARE SO OMNIPOTENT!

Born for large spaces, fully purifying, sterilizing and removing viruses

CADR 1800m³/h | Suitable for 210m² | Dual UVC lamps to sterilize



AIR PURIFIER ALL-ROUNDER

purification and sterilization

Smart and thoughtful design

Ultra-high air cleaning capability Designed for large spaces

The CADR of particulate matter is 1800m³/h, suitable for a large space of 210m²

Add humidification system

Adopt the principle of cold evaporation and humidification, no fog and no dust.

Short-wave UV 253.7nm sterilization

Configure 2 UVC mercury lamps for UV disinfection

wall mountable

Floor standing or wall-mounted

High-efficiency H13 HEPA filter, 99.97% filtration efficiency

H13 high-efficiency composite filter mesh, which can filter out fine particles of 0.3 microns

Smart control

Support mobile APP

Virus removal ratewas 99.99%

The removal rate of most bacteria was 99.9% within one hour

air quality visualization

Humanized four-color display



DEEPER FILTERING More efficient purification


The CADR of particulate matter is 1800m³/h, suitable for a large space of 210m²

Using high-quality electrostatic melt-blown H13 filter paper, 99.97% of 0.3µm particles are filtered, and the inner layer of high-quality nano-mineral crystal activated carbon can quickly remove haze and absorb harmful gases for long-term purification. Optional H14 filter 0.3µm efficiency 99.997%.

Particulate CADR

99.97%

H13 filter efficiency



• Aluminum alloy antibacterial filter

253.7NM UV STERILIZATION

Anti-virus sterilization is good!

Two UVC mercury lamps for ultraviolet disinfection

The UVC ultraviolet lamp has a stronger bactericidal effect and can kill the health-affecting coliform, Staphylococcus aureus and natural air bacteria in a short time.








klebsiella pneumoniae Staphylococcus aureus removal rate removal rate

Virus removal rate

99.99% 99.99% 99.99%




DOUBLE AIR INLET DESIGN The purification speed is so fast!

The living room of 45 m² can be purified once in 6 minutes.


The double air inlet design increases the circulation of air volume, thereby providing purification speed. The air intake on both sides improves the power balance at the same time, making the air outlet more stable.

2500^{m³/h}

Air volume per hour







VISIBLE AIR QUALITY Four-color display

Humanized four-color display

Accurately detect air quality, four colors of red, pink, blue and green feedback different quality in the air, purification effect Fruit can be seen.









nt Normal

Poor

Very poor



TOUCH SCREEN DESIGN Easy to operate

LED screen interactive display, support mobile APP operation.

Sensitive response, so that every operation is handy, and there is no key gap, easy to clean.













Windspeed anion Sleep

Timing







UV Filterreminder Automatic Childlock



Humidification and purificate Not just the air purifier


Configure two sets of water curtains for fog-free hu

Fog-free humidification adopts the principle of cold evaporation humidification, no fog and no dust. It sanitizes inhaled air, evaporative water sources and filters, maintains clean humidification at the source, and cares for sensitive populations.

Filter material Multilayer polymer

2.50 L Water tank capacity 10 hours working hours

Humidification mode Fog free humidification




WALL MOUNT MODE Not just vertical

Less space, multiple ways

The wall mounted design of the purifier is reinforced at the back, which saves more space for purification.

(This function is optional, please consult the business for details.)



Regarding the location and printing method of the brand logo

Support brand logo customization, printing methods can be divided into three types: laser marking, silk screen printing, and UV pasting. For specific details, please consult the service mangager. Can cooperate with the brand to create a logo effect

Packing method

Outer carton x 1

Air purifier x 1

Activated carbon filter x 2

High efficiency H13 HEPA filter x 2

Primary filter x 2

Water filter x 2

Instruction Manual x 1

App connection description x 1

Power cord X 1



More details, higher quality



Low noise swivel casters

Flexible movement, rubber material, does not hurt the floor.

Anti-bump rounded corner design

The corners of the whole machine are designed with chamfering to prevent bumps and scratches.



Open cover power failure protection

When the filter cover is opened, the power is turned off, which is safe and leak-proof.

Child lock protection

It avoids the danger caused by children's curiosity and misoperation.



Certified quality system

has BSCI, ISO13485, EPA, ISO9001 and ISO10012 certification

The company has been certified by BSCI, ISO13485, EPA, ISO9001 and ISO10012 to ensure the good quality of each product.

EU certification: TUV-CB/CE-LVD-EMC+RED directive/ROHS/ERP/ North American certification: ETL+CETL/CARB E/F/Ozone test/UV radiation/WiFi test/ITS



BSCI Credentials



ISO13485 Credentials



ISO9001 Credentials





EPA Credentials



CB Certification



ISO10012 Credentials



FCC Certification



Klebsiella pneumoniae test report

CE Certification



Product parameters

Product model XT-KJ1200 Voltage 100-240V/50/60HZ

Product size 484.5*366*847mm Power 240w


Package size 560x460x930mm Applicable area 210M²

N.W/G.W 19.1KG/22.1KG CADR 1800m³/h

Product motor Japan Nidec-Shibaura DC motor Sensor Dust sensor

QTY 20GP:80 / 40GP:160 / 40HQ:160 / 45HQ:240

Packing list



Packing method

