# TIRRIT®



# 特力喷雾 YUYAO TIRRIT CO.,LTD Dispensing Solutions

余姚市特力喷雾器有限公司 YUYAO TIRRIT CO.,LTD

Address: CE14-15 Far East Industry Park, Yuyao, Zhejiang, China

Postcode:315400

Tel: 86-574-62726692 62707404 62726694

Fax:86-574-62760899 E-mail: jjyuan@tirrit.net Http://www.tirrit.net



# COMPANY PROFILE 公司简介

余姚市特力喷雾器有限公司,专注于喷雾器及各 类塑料制品研发与生产,产品主要包括手扣式喷 雾头, 手压式喷雾头, 乳液泵, 泡沫泵, 真空 泵,塑料盖及其他包装类。产品广泛应用于个人 护理,化妆品,生活家居,汽车清洁及食品等。 并且90%的产品直接远销欧洲,美洲,亚洲等国 家和地区。本公司已率先通过了ISO9001及 ISO14001国际质量及环境管理认证,和 SA8000认证。拥有专业的产品研发部门,持续 开发了很多新产品与新技术以满足不同客户的需 求。我们的研发精神: "只要您说,其余的我们 来做"。目前本公司正与世界顶级品牌合作。本 公司生存力量雄厚,拥有全自动装配生产线和系 列测试设备。我们相信高品质的产品, 具有竞争 力的价格及科学的管理可以为客户开拓更广阔的 市场。







Yuyao Tirrit Co., Ltd. an ISO9001 & ISO14001 & SA8000 certified manufacturer of mechanical dispensing devices and spray pumps. Serves the market of personal care products, cosmetics and fiagrance, household and automotivepharmaceutical and food. With a wide product range, and a number of fully automatic assembly machines and testing devices. TIRRIT is well positioned to meet different market needs of trigger sprayers, fingersprayers, lotion pumps, foam pumps, airless pumps and other packaging components. Having our own product development center, we have gained constant energy to develop new products, explore new technology for marketplace and customer requests. Customers from Asia, USA, EU realize it is as simple as what they say to develop something special for them. TIRRIT is bringing more and more customer projects from global top brand clients.Located in eastern China, TIRRIT not only brings out the best products, but also offers the most competitive prices. The most efficient management and the best labors assure our customers their good position in marketing, and the best solution for their projects. TIRRIT is devoted to help you to succeed. Come to discuss with our exporters, you are always welcome!

### INDEX BY PRODUCTS 产品目录

T	MINI TRIGGER  0.18CC/0.25CC/0.5CC	P01-02
Ī	MIST SPRAYER	P03-05
	1INCH CRIMP MIST SPRAYER	P06
	PERFUME SPRAYER	D40 D40
	POWDER PUMP	
4	COSMETIC DISPENSER	P14-P22
1	LOTION PUMP	P23-P35
Т	1.5CC LEFT-RIGHT LOCK	2 OCC CODEM DOWN
		3.0CC SCREW DOWN
	2.0CC SCREW DOWN 2.0CC-3.0CC NO METAL CONTACT PUMP	5.0CC NO METAL CONTACT PUMP
	2.0CC SCREW DOWN	
1	2.0CC SCREW DOWN 2.0CC-3.0CC NO METAL CONTACT PUMP	5.0CC NO METAL CONTACT PUMP 10CC NO METAL CONTACT PUMP
1	2.0CC SCREW DOWN 2.0CC-3.0CC NO METAL CONTACT PUMP 2.5CC ACTUATOR DIRECTION ORIENTED	5.0CC NO METAL CONTACT PUMP  10CC NO METAL CONTACT PUMP  P36-P37
7	2.0CC SCREW DOWN 2.0CC-3.0CC NO METAL CONTACT PUMP 2.5CC ACTUATOR DIRECTION ORIENTED  GALLON PUMP 10-30CC  TRIGGER SPRAYER 0.8CC 1.3CC	5.0CC NO METAL CONTACT PUMP  10CC NO METAL CONTACT PUMP  P36-P37
	2.0CC SCREW DOWN 2.0CC-3.0CC NO METAL CONTACT PUMP 2.5CC ACTUATOR DIRECTION ORIENTED  GALLON PUMP 10-30CC  TRIGGER SPRAYER	5.0CC NO METAL CONTACT PUMP  10CC NO METAL CONTACT PUMP  P36-P37  P38-P47
	2.0CC SCREW DOWN 2.0CC-3.0CC NO METAL CONTACT PUMP 2.5CC ACTUATOR DIRECTION ORIENTED  GALLON PUMP 10-30CC  TRIGGER SPRAYER 0.8CC 1.3CC 0.9-1.1CC 1.2-1.4CC  FOAM PUMP	5.0CC NO METAL CONTACT PUMP  10CC NO METAL CONTACT PUMP  P36-P37  P38-P47
	2.0CC SCREW DOWN 2.0CC-3.0CC NO METAL CONTACT PUMP 2.5CC ACTUATOR DIRECTION ORIENTED  GALLON PUMP 10-30CC  TRIGGER SPRAYER  0.8CC 1.3CC 0.9-1.1CC 1.2-1.4CC  FOAM PUMP 0.35-0.75CC	5.0CC NO METAL CONTACT PUMP  10CC NO METAL CONTACT PUMP  P36-P37  P38-P47  P48-P49

# MINI TRIGGER

### ST1201 SERIES


Mini Trigger (0.18CC/0.25CC/0.5CC)

This mini trigger with dosage 0.18cc/0.25cc/0.5cc per stroke delivers exceptional spray performance for lighter home and garden applications and personal care as well. An integrated lock between head and closure ensure that product is safe during shipping and storage.




### **OUTPUT** 0.5CC

-01



### **OUTPUT** 0.18CC



### **OUTPUT** 0.18CC





ST1201

ST1208

**OUTPUT** 0.25CC





ST1204

ST1205

**OUTPUT** 0.4CC-0.5CC







ST1203

ST1206

ST1207

**CLOSURE** 









24/410 RIBEED

24/410 SMOOTH

24/415 SMOOTH




28/410 RIBEED

28/410 SMOOTH

-02

# ST3002 MIST SPRAYER





#### Compatibility

Compatibility testing is recommended if there are questions or concerns. TIRRIT offers complete laboratory testing assistance and provides recommendations to assist customers with their final packaging decision.

### **CLOSURE**



16/410/0.15CC 18/400/0.15CC



18/410/0.15CC





18/415/0.15CC 20/410 SMOOTH/0.18CC



20/410 RIBBED 0.18CC



20/415 RIBBED 0.18CC



22/410H 0.18CC



24/410 SMOOTH 0.18CC



24/410 RIBBED 0.18CC



24/415 SMOOTH 0.18CC



24/415 RIBBED



28/400 0.18CC



28/410H 0.18CC



UPSIDE DOWN SPRAYER 0.16CC



OIL SPRAYER 0.18CC



OIL SPRAYER 0.25CC

### **OTHER**







METAL COLLAR FOR OPTIONS

# ST3210 0.5CC MIST SPRAYER

### (No Metal Contact)



24/410



28/410

### **OTHER**



METAL COLLAR FOR OPTION

### Dust cap-Actuator Nozzle connector Connection cap Piston bar Gasket<sup>-</sup> O Ring Spring Closure Spring base Pump housing Ballo Valve Dip tube-

### Compatibility

Compatibility testing is recommended if there are questions or concerns. TIRRIT offers complete laboratory testing assistance and provides recommendations to assist customers with their final packaging decision.

# 1 INCH CRIMP MIST SPRAYER

### ST3035 SERIES





ST3035




ST3036

### **OUTPUT** 0.6CC



ST3037 NO METAL CONTACT




# PERFUME SPRAYER

# ST3010 (0.15CC/0.18CC)

Our crimp mist sprayer is available in range of FEA15,18,20mm closure dimensions, normal and low profile and 0.15cc/0.18cc output for options.

To avoid carelessly depression of the actuator, we offer plastic safety clip of options.





**OUTPUT** 0.15CC















ST3010































24/410





ST3050



20/410

St3051

18/415



ST3051

20/410



ST3064 24/410

ST3050

18/415

ST3060 18/410 18/415 20/410 22/410 24/410 24/415 ST3061 18/415

ST3050

18/410



# PERFUME SPRAYER


### ST3020/ST307 0.07CC

#### LOW PROFILE

Our crimp mist sprayer is available in range of FEA13,15,18,20mm closure dimensions, normal and low profile and 0.07cc output for options.

To avoid carelessly depression of the actuator, we offer plastic safety clip of options.





#### Compatibility

Compatibility testing is recommended if there are questions or concerns. TIRRIT offers complete laboratory testing assistance and provides recommendations to assist customers with their final packaging decision.

### **CRIMP**











ST3020 15

St3020 18

ST3020 20










13

ST3021 15

ST3021 18

ST3021 20







ST3020 FEA15 PLASTIC CRIMP







ST3020 EU4(SCREW) AVAILABLE 20/400(SCREW)

TIRRIT ®

### **ST 307**

LOW PROFILE PERFUME SPRAYER 0.07CC

#### **CPIMP**









**SCREW** 











EU4

18/400

18/410

20/400

20/410

CRIMPLESS (NO GASKET)









P13FEA

P15FEA

P18FEA

P20FEA

#### **OPTION**









PIASTIC ACTUATOR METAL ACTUATOR

TUATOR

CAP2

# POWDER PUMP


### FOR CRIMP BOTTLE NECK

Diameter 13mm & 20mm
Output 0.006g
Aluminium closure





ST6002 13MM CRIMP PUMP





ST6006

20MM CRIMP PUMP





ST6007 13MM CRIMP PUMP

ST6009 15MM CRIMP PUMP

# PERFUME PUMP

### FOR SCREW BOTTLE NECK

Closure 18/410
Output 0.03ml
Aluminium closure
Long hose and tassel for option





ST6004C 18/410



ST6004A 18/410




ST6004B 18/410

# COSMETIC DISPENSER

0.18CC





### Compatibility

Compatibility testing is recommended if there are questions or concerns. TIRRIT offers complete laboratory testing assistance and provides recommendations to assist customers with their final packaging decision.

-13 -14

# 0.18CC COSMETIC DISPENSER





ST4050 20/410

ST4051 20/410

### ST4056



20/410 RIBBED









20/415 RIBBED

24/410 SMOOTH



24/410 RIBBED





20/410 SMOOTH



ST40562









20/410 SMOOTH

20/410 RIBBED

20/415 RIBBED

22/415 RIBBED



24/410 SMOOTH







24/410 RIBBED

24/415 RIBBED

METAL COLLAR FOR OPTION

### ST40563





24/410

METAL COLLAR FOR OPTION

-15 -16

#### ST40564







20/410 RIBBED



20/415 RIBBED



22/415 RIBBED



24/410 SMOOTH



24/410 RIBBED



24/415 RIBBED



ST4058 20/410



ST4059 20/410





ST4060 20/410 ST4062 18/410 20/410



ST40572 20/410

# COSMETIC DISPENSER

### 0.25CC 0.5CC NO METAL CONTACT




- 1.Replaces the ball bottom valve
- 2. Airless or atmospheric
- 3. Very efficient for viscous and thick and sticky formulations

### Compatibility

Compatibility testing is recommended if there are questions or concerns. TIRRIT offers complete laboratory testing assistance and provides recommendations to assist customers with their final packaging decision.

### Output 0.25cc



### **Output** 0.5cc

Actuator
Connector
Spring
Connection cap
Gasket
O Ring
Closure
Piston
Spring
Piston
Piston bar
Piston bar  Spring base  Pump housing
Tump heading
Ball valve
Dip tube

-17 -18

# 0.25CC COSMETIC DISPENSER

### **ACTUATOR**



ST415A

**OTHERS** 

OVERCAP



18/400

### **ACTUATOR**



ST415B

**OTHERS** 



OVERCAP



**CLOSURE FOR OPTION** 

20/410



22/410GA2

# **ACTUATOR** ST415H ST415D

**CLOSURE** FOR OPTION



ST415I




18/400 METAL COLLAR



ST415K



20/410 METAL COLLAR













### **ACTUATOR**



ST415L

ST415M

### **CLOSURE FOR OPTION**









18/400


18/400 METAL COLLAR

20/410 SMOOTH

20/410 RIBBED







20/410 METAL COLLAR

24/410 RIBBED

24/410 METAL COLLAR

### **OTHERS**







OVERCAP ONLY AVAILABLE FOR 18/400

OVERCAP

# 0.5CC COSMETIC DISPENSER NO METAL CONTACT

# **ACTUATOR**



ST416D

ST416H





ST416I

ST416L

ST416M

**CLOSURE FOR OPTION** 





24/410-1



24/410-2



24/410-3


24/410-4

-21 -22

# LOTION PUMP

# LEFT-RIGHT LOCK 1.5CC





#### Compatibility

Compatibility testing is recommended if there are questions or concerns. TIRRIT offers complete laboratory testing assistance and provides recommendations to assist customers with their final packaging decision.

#### **ACTUATOR**



#### **CLOSURE**



#### **OTHERS**




METAL COLLAR FOR OPTIONS

-23 -24

# LOTION PUMP

# SCREW DOWN LOCK 2.0CC





### Compatibility

Compatibility testing is recommended if there are questions or concerns. TIRRIT offers complete laboratory testing assistance and provides recommendations to assist customers with their final packaging decision.

### **ACTUATOR**











ST4011A

ST4013

ST4014









ST4015

ST4018

ST4019

ST4017



ST4017-2

### **CLOSURE**











24/410 RIBBED

24/410 SMOOTH

24/415 RIBBED

28/400

28/405











28/410 SMOOTH

BPF

28/415 RIBBED

28/415 SMOOTH



28 Ratchet






Metal collar for options

# NO METAL CONTACT PUMP

**SCREW DOWN LOCK** (2.0CC-3.0CC)





### Compatibility

Compatibility testing is recommended if there are questions or concerns. TIRRIT offers complete laboratory testing assistance and provides recommendations to assist customers with their final packaging decision.

# **ACTUATOR** 2.0CC









ST4100

ST4102









ST4103-2

ST4104

ST4105

ST4107



ST4108





ST4109

**ACTUATOR** 3.0CC









ST4110

ST4111

ST4112

ST4113









ST4113-2

ST4114

ST4115

ST4117






ST4118 ST4119

-27 -28

#### **CLOSURE**



28 RATCHET

28 TAMPER EVIDENT

### **OTHERS**



28/415 SMOOTH

# NO METAL CONTACT PUMP

### LEFT-RIGHT LOCK 2.0CC

### **ACTUATOR** 2.0CC









**CLOSURE** 







24/415 Ribbed

24/410 Ribbed 24/410 Smooth








28/410 Ribeed

28/410 Smooth

28/415 Ribbed



### Compatibility

Compatibility testing is recommended if there are questions or concerns. TIRRIT offers complete laboratory testing assistance and provides recommendations to assist customers with their final packaging decision.

-29 -30

# LOTION PUMP

# ST4030

Big dosage 2.3-2.5CC Actuator direction oriented

#### **ACTUATOR 2.3-2.5CC**




**CLOSURE** 



28/410 RIBEED

ST4030



# LOTION PUMP

### ST4020

Big dosage 3.0-3.5CC ST4020 lotion pump is for big dosage application like shampoo, conditioners and body washes.



**ACTUATOR** 3.0-3.5CC



ST4020

**CLOSURE** 

33/410



28/410



38/400

38/410

**OTHER** 



OVERCAP




花香抑菌洗手液

-31 -32

# NO METAL CONTACT PUMP

# SCREW DOWN LOCK (5CC / 10CC)





## OUTPUT 5CC







ST4130

ST4131

ST4132







ST4133


ST4134

ST4135 WITH ANTI-DRIPPING VALVE

### **CLOSURE**







28/400

28/410

33/400





38/400 RATCHET

40/400 RATCHET

### OUTPUT 10CC







ST4141



ST4142



ST4143



ST4144



ST4145 WITH ANTI-DRIPPING VALVE

### CLOSURE



28/400



28/410



31/410



33/400



38/400



38/410



38/400 RATCHET



40/400 RATCHET

# GALLON PUMP


# ST4040 (10CC 15CC 20CC 25CC 30CC)

Screw down lock head configuration prevents "pop-up" during shipment.

ST4040 series with dosage 10ml/15ml/20ml/25ml/30ml and deliver consistent, reliable performance across a full range of applications.

This series pump are designed to work with various highoutput formulations, including liquid soaps, lotions, shampoos and conditioners and sauce dispensing.





-35 -36

#### **ACTUATOR**





ST4041



ST4040

ST4042 WITH ANTI-DRIPPING VALVE

#### **CLOSURE**





38/400





38/410



43/400

45/400

### **OUTPUT**











### **OTHERS**



PRINTING FOR OPTIONS

# TRIGGER SPRAYER

# ST105 SERIES 0.8CC


Different mechanical instruction can prevent diptube move up and down while trigger priming. This design could help customer to use liquid completely.

Its stable reliability and also available for a variety of applications with household, automotive, garden, industrial and personal care products.

Customize spray-steam-foam nozzle configuration, as well as many kinds of shrouds and closures.

#### Compatibility

Compatibility testing is recommended if there are questions or concerns. TIRRIT offers complete laboratory testing assistance and provides recommendations to assist customers with their final packaging decision.







### **SHROUD**





ST1051



ST1050



ST1054



ST1053

ST1055





ST1056

ST1059

### **CLOSURE**









28/DIN

28/400


28/410

28/415

### **CLOSURE**









SPRAY STREAM


SPRAY ONLY

SPRAY FOAM

MESH FOAMER

# ST106 SERIES 0.9CC





#### COMPATIBILITY

Compatibility testing is recommended if there are questions or concerns. TIRRIT offers complete laboratory testing assistance and provides recommendations to assist customers with their final packaging decision.

-39 -40 TIRRIT ®

### **SHROUD**







ST1061



ST1063



ST1064



ST1065



ST1066



ST1067



ST1068

### **CLOSURE**



28/400



28/410



28 RATCHET



28 SNAP ON

### **NOZZLE OPTIONS**







BPF



SPRAY ONLY

SPRAY STREAM CHILD RESISTANT MESH FOAMER

SPRAY FOAM

### **OTHERS**

-41



TRIGGER A



LOCK A

### ST107 SERIES 1.3CC

They are perfect for a wide range of applications including lawn, garden and laundry.

TRIGGER SPRAYER

In addition to the standard configuration, the ST1072 ST1074 Remote with weighted tube end, which can be more convenient for using.

Big dosage 1.3CC per stroke

#### Compatibility

Compatibility testing is recommended if there are questions or concerns. TIRRIT offers complete laboratory testing assistance and provides recommendations to assist customers with their final packaging decision.

#### **SHROUD**

**CLOSURE** 



ST1070



ST1071



ST1074



ST1072




# TRIGGER SPRAYER

# ST1010 SERIES (0.9CC / 1.1CC)

They are perfect for a wide range of applications including lawn, garden and laundry.

With an adjustable nozzle, these trigger can offer spray and stream function. In addition to the standard configuration, the ST1031 can be fit with brass nozzle for long term using.






### Compatibility

Compatibility testing is recommended if there are questions or concerns. TIRRIT offers complete laboratory testing assistance and provides recommendations to assist customers with their final packaging decision.

#### **SHROUD**







ST1030 0.9CC



ST1031 1.1CC



ST1040 0.9CC

### **CLOSURE**



28/400



28/400

### NOZZLE



ADJUSTABLE NOZZLE



**BRASS NOZZLE** 



FOAM NOZZLE

# TRIGGER SPRAYER

### TR3000 SERIES (1.2CC / 1.4CC)

This is new design in our company. The wide smooth-pull trigger combines a compact stroke with big output performance.

They are perfect for a wide range of applications including lawn, garden and laundry.

The various large nozzles provide spray/stream, spray only, spray/foam, spray brush and child resistant for added safety.


Combined with different shroud bring you modern look that greater performance on a wider range.

In addition to the standard configuration, the TR3100 Remote, which can be sprayed for long distance, is also available for a variety of applications.

New Electric Trigger Sprayer is designed now with rechargeable, constant spray and adjustable spray pattern these advantages is more and more popular in the application including garden and automotive area. Every set have one 28/400 Conversion Cover, provided 28/400 bottle to match.

### Compatibility

Compatibility testing is recommended if there are questions or concerns. TIRRIT offers complete laboratory testing assistance and provides recommendations to assist customers with their final packaging decision.





### SHROUD 1.4CC









BRUSH TRIGGER

TR3000

TR3001







TR3100

SHROUD 1.2CC







TR341 ALL PLASTIC

TR342 28 SNAP ON

TR343


ELECTRIC TRIGGER SPRAYER



28/400/33/410

TIRRIT ®

### **CLOSURE**





28/410



28/400

28 RATCHET A

### NOZZLE **OPTIONS**







SPRAY ONLY-1

SPRAY STREAM

SPRAY ONLY-2







MESH FOAM-1

MESH FOAM-2

MESH FOAM-3

### **OTHERS**



TRIGGER A

# FOAM PUMP

# ST5001 SERIES (0.35CC/0.75CC)

The unique air-and-liquid mixing system used.

Foamer gently dispenses your product into the

rich foam consumers expect.

For a better life, an easier environment. Many kinds of head and closure for options.



-47 -48

**MODEL** 0.35CC







ST5001 28/410

ST5002 30/400

ST5003 30/400

**MODEL** 0.75CC







ST5010 40/400

ST5012 40/400

ST5013 40/400









ST5015 40/400

ST5011 43/400

# DROPPER

For a better life, an easier environment.

Many kinds of tube length and closure for options.

### **CLOSURE**





18/415-2



18/415-1

18/400

20/400

18/415-3

18/415-4





20/410

QT-4005-18/400 PLASTIC TUBE

### **OPTIONS**





METAL COLLAR









POINTED HEAD

ROUND HEAD

MATT BUBBLE


All F= 6.1mm


**Bottle Materials: Glass** 


# TIRRIT<sup>®</sup>

# XXS-MINI PACK

For a better life, an easier environment. Glass vial and plastic vial available for options. Many kinds of volume and color for options.







### **OPTION**




	DIAMETER DOSAGES	DIMENSIONS			HT VALUE			OPTION		
		DOSAGES	D	Н	НС	НО	Sprayer Ctuator	Lotion Actuator	Pouch Spout	
CRIMP	11	0.06CC	12	5.05	12.2		19.9	19.9		
	13	0.06CC	14.7	5.8	12.2	23.7	19.9	19.9		
	M11	0.0600	12	4.6	16.6		15.5	15.5		

23.7

12.2





SNAP ON

19.9


XS-1	2MI	3MI	51
	7 1/1	≺ N/I I	51

CAPACITY	А	В	С	D
2ML	29.5	46	54.5	12
3ML	38.5	55	63.5	12
5ML	54.5	71	79.5	12

-51 -52

TIRRIT® www.tirrit.net






2ML 3ML 5ML

XXS-2

SCREW
Bottle Materials: HDPE、PP

CAPACITY	А	В	С	D
2ML	31.4	43	51.5	12
3ML	40.4	52	60.5	12
5ML	56.4	68	76.5	12





5ML 8ML 10ML

SNAP ON


XXS-3

Bottle Materials: Glass

CAPACITY	А	В	С	D
5ML	46.4	54.4	75.9	15
8ML	67.4	75.4	96.9	15
10ML	82.4	90.4	111.9	15



2ML 3ML 5ML




XXS-4

SCREW

### Bottle Materials: PP

CAPACITY	А	В	С	D
5ML	57	69.5	90	15
8ML	93	105.5	126	15
10ML	115	127.5	148	15





XXS-5

SCREW

### **Bottle Materials: Glass**

CAPACITY	А	В	С	D
5ML	46.7	59.2	80.7	15
8ML	67.7	80.2	101.7	15
10ML	82.7	95.2	116.7	15

# CAP

**FLIP TOP** 



CP1001 24/415

CP1004 28/410



CP1001 28/415





CP1006 24/410





CP1006 24/415











CP1038 20/410

**PUSH PULL** 

CP1041 20/410

CP1033 24/410





CP1043 24/410





CP1066 28/410

CP1070 M28







CP1043 24/410



CP1058 22MM



CP1065 24/415

**CR (CHILD RESISTANT CAP)** 







**DISC TOP** 

CP1007 28/400

CP1020 20/410

CP1003 24/410

CP1007 28/410



CP1006 15/415

CP1002 24/410

CP1002 28/410





CP1020 24/415 CP1020 24/410 CP1020 24/415



METAL COLLAR FOR OPTIONS

-55 -56